## ELEMENTS 32

OF

## MEDICAL

## JURISPRUDENCE.

## BY THEODRIC ROMEYN BECK, M.D.

PROFESSOR OF THE INSTITUTES OF MEDICINE, AND LECTURER ON MEDICAL JURISPRUDENCE IN THE COLLEGE OF THE WESTERN DISTRICT OF THE STATE OF NEW YORK, &c. &c.

# SECOND EDITION, WITH NOTES, AND AN APPENDIX

OF

ORIGINAL CASES AND THE LATEST DISCOVERIES.

## By WILLIAM DUNLOP,

MEMBER OF THE ROYAL COLLEGE OF SURGEONS, LONDON; OF THE MEDICO-CHIRURGICAL, AND OF THE WERNERIAN SOCIETY OF NATURAL HISTORY, EDINBURGH; AND LECTURER ON MEDICAL JURISPRUDENCE, &C. &C.

#### LONDON:

PRINTED FOR JOHN ANDERSON, MEDICAL BOOKSELLER, WEST-SMITHFIELD; S. HIGHLEY, 174, FLEET-STREET, AND WEBE-STREET, BOROUGH; W. BLACKWOOD, EDINBURGH, AND HODGES AND N'ARTHUR, DUBLIN.

1825.

322

LONDON

W. LEWIS, PRINTER, FINCH-LANE.

## CONTENTS.

						Page
Editor's Preface	-	-	-	-	-	XV
Author's Preface	_	-	-		-	xix
Catalogue of Books	s referred t	o in the	Work	-	-	xxiñ
Introduction	-	-	-	_	-	xxxiii

#### CHAPTER I.

#### FEIGNED DISEASES.

Objects for which diseases are feigned. Diseases most readily feigned. General rules for their detection. Diseases that have been feigned—alteration of the pulse—altered state of the urine—hæmaturia—incontinence of urine—suppression of urine—maining and deformity—dropsy and tumours of various kinds—excretion of calculi—ulcers—hæmoptysis—hæmatemesis—jaundice and cachexia—fever—pain in various parts—syncope and hysteria—diseases of the heart—apoplexy—paralysis—epilepsy—convulsions—catalepsy—nostalgia—near-sightedness—ophthalmia—blindness—deafness, with or without dumbness. Of impostors. Feigned abstinence——Page 1

#### CHAPTER II.

#### DISQUALIFYING DISEASES.

### CHAPTER III.

#### IMPOTENCE AND STERILITY.

Laws of various countries concerning impotence as a cause of divorce—Roman law—canon law—ancient French law—Napoleon code—Eng-

lish law. Causes of impotence in the male—absolute—curable—accidental or temporary causes. English and French law on accidental causes as affecting paternity. Diseases that may produce temporary impotence. Causes of impotence in the female—incurable and curable. Sterility—incurable and curable—causes. American law on impotence as a cause of divorce

#### CHAPTER IV.

#### DOUBTFUL SEX.

#### CHAPTER V.

#### RAPE.

1. Signs of virginity—opinion of anatomists concerning them. 2. Signs of defloration and rape. Diseases that may be mistaken for the effects of violence. Possibility of consummating a rape. False accusations. Appearances when death has followed violation. 3. Laws of various constries as to the violation of children under ten years of age, Credibility of witnesses in those cases. Laws of various countries concerning rape. Discussion as to the circumstances which constitute the crime in law. 4. Whether the presence of the venereal in the female should invalidate her accusation. Of rape during sleep without the female's knowledge, Of pregnancy following rape—law on this point

#### CHAPTER VI.

#### PREGNANCY.

1. Laws of various countries concerning the presence of pregnancy in eivil and in criminal cases.—2. Signs of real pregnancy—uncertainty to which they are liable. Quickening—explanation of it. Impropriety of relying on any single proof of pregnancy. Concealed pregnancy. Moles. Hydatids. Pretended pregnancy. 3. Superfectation—cases which are deemed instances of it—explanation of them by the opponents of this doctrine—its application in legal medicine.

4. Whether a female can become pregnant without her knowledge, and remain ignorant of it until the time of labour—cases in which this has been deemed possible

#### CHAPTER VII.

#### DELIVERY.

Part 1.—1. edges of delivery—period within which the examination should be made. Concealed delivery. Pretended delivery—modes

in which it may present itself. Appearances on dissection indicative of a recent delivery. Corpora lutea—their value as a proof of impregnation. Medico-legal cases. 2. Possibility of delivery without the female being conscious of it. Whether a female, if alone and unassisted, can prevent her child from perishing after delivery Page 94 PART II. -1. Signs of the death of the child, before and during delivery. -2. Signs of the maturity or immaturity of the child-its appearance, size, length, and weight at various periods during pregnancy. Weight of infants born at the full time-length. Characters which mark the maturity of the child. 3. The state necessary to enable the new-born infant to inherit—its capability of living—the time when it is generally deemed capable. Laws of various countries as to what constitutes life in the infant, and thus enables it to inherit-Roman, French, English, and Scotch laws. Medico-legal cases. Infants extracted by the cæsarean operation—their capability of inheriting—laws on this subject. How far deformity incapacitates from inheriting. Monsters -laws on this subject

#### CHAPTER VIII.

#### INFANTICIDE.

1. History of infanticide among different nations, ancient and modern. 2. Definition of infanticide—of the murder of the feetus in utero, or criminal abortion—period at which the foetus is to be considered as possessing life—proofs of abortion derived from an examination of the living and dead mother--causes of abortion, criminal and involuntary -examination of the feetus. 3. Of the murder of the child after it is born-proofs of infanticide derived from an examination of the childproofs of the blood having circulated after birth—(a) appearance of the blood—(b) ecchymosis—proofs of respiration having taken place after birth—(a) of the floating of the lungs in water—examination of the objections to this test—(b) Ploucquet's test—examination of objections to this test—(c) Daniel's test—(d) descent of the diaphragm— (e) diminution of the size of the liver—(f) discharge of the meconium -(g) state of the urinary bladder. Capability of the child's living after birth. The various means used for perpetrating infanticideinfanticide by omission—infanticide by commission. 4. Of the method of conducting anatomical examinations in cases of infanticide. 5. Prevention of infanticide—history of legislation on the subject of infanticide. Foundling hospitals-mortality in them

#### CHAPTER IX.

#### LEGITIMACY.

1. Of the ordinary term of gestation—whether uniform or not. Variation observed among animals in the term of gestation. Causes which, it is supposed, may vary it in the human species—fallacy of these suppositions. 2. Premature delivery. Enquiry as to the period within which a mature child should be deemed legitimate. 3. Protracted delivery—remarkable cases of it, in ancient Rome, in France, and Germany—cases which have given rise to medical controversy.

4. Laws of various countries on the subject of legitimacy—Roman, ancient French, Prussian, modern French, Scotch, and English laws

—decisions under them. 5. Questions relating to paternity and filiation—paternity of children where the widow marries immediately after the death of her husband. Cases that have occurred in the Roman courts—in the English courts. English law on this subject. Similitude and colour as evidences of paternity - Page 194

#### CHAPTER X.

#### PRESUMPTION OF SURVIVORSHIP.

Of the survivorship of the mother or child, when both die during delivery. Cases that have been decided in Germany—in France—in the state of New-York.
 Of the presumption of survivorship of persons of different ages destroyed by a common accident. Laws on this subject. Roman—Ancient French—Napoleon code—English. Cases that have occurred under each. Propriety of having fixed laws on this subject

#### CHAPTER XI.

#### AGE AND IDENTITY.

1. Notice of some questions in which the testimony of medical men may be required as to the age of an individual—the age at which he is considered capable of committing certain crimes. The period of absence that is considered as presumptive proof of a man's death. Decisions on this subject in England—in the state of New-York. Age beyond which pregnancy is impossible—Cases. 2. Identity. Cases where physicians may be required to identify individuals by physical marks—remarkable instances in France—Martin Guerre—Francis Noiseu—Sieur de Caille—Baronet. Effects of age in altering the personal appearance. Remarkable instances of disputed identity at New-York—in England

#### CHAPTER XII.

#### MENTAL ALIBNATION.

1. Of the symptoms that constitute a state of insanity. Division of insanity into mania - monomania or melancholy-dementia-and idiotism. Mania. Precursory symptoms. Symptoms-state of the countenance-language and actions-disordered appetite-state of the stomach and bowels-condition of the tongue and pulse-insensibility to cold and heat—perversion of the senses—the ear, the eye. the smell, taste, and touch—wakefulness—loss of memory—pusillanimity. Duration of a paroxysm. Monomania. Its character. Danger of suicide or violence from the insane of this class. Melancholy. Age most liable to it. Symptoms-peculiar east of countenancestate of the eye-concentration of the thoughts on one idea-fixed position of the body-condition of the pulse-of the skin, tongue, and bowels-peculiar odour. Sanity on subjects not connected with the morbid impression. Length of time that this impression remains. General exemption of infancy from attacks of mania and melancholy. Dementia. Generally a consequence of mania and melancholy-its

characteristics. Idiotism. Its frequency in some countries, as the Valais and Carinthia—Cretins. Characteristics of idiotism—deformity of the skull-peculiar countenance-affection of various senses. Its complication with other diseases. Other forms of insanity. General causes of it. 2. Of feigned and concealed insanity—rules for their detection-remarkable instances of the latter. 3. Legal definition of a state of mental alienation, and the adjudications under it. Common law of England as to idiots and lunatics in civil cases—in criminal cases. Law in the state of New-York in the same cases-method of proving a person a lunatic-method of proving his recovery. Lucid interval—ancient meaning of this term—definition of it at the present day by D'Aguesseau-Dr. Percival-Dr. Haslam-Lord Thurlowobjections of Lord Eldon to the opinion of the latter-application of the term in criminal cases—difficulties on the subject. 4. Inferior degrees of diseased mind—delirium of fever—hypochondriasis—hallucination-epilepsy-nostalgia-intoxication-its presence does not excite from the guilt of crimes-a frequent cause of insanity. Old age. 5. Of the state of mind necessary to constitute a valid willlegal requisites-non-cupative wills-wills disposing of personal property-testaments. Persons who cannot make valid wills. Diseases which incapacitate an individual from making a will. 6. Of the deaf and dumb—their capacity, and the morality of their actions, are to be judged of according to their understanding. A person born deaf, dumb, and blind, is deemed an idiot-if he become so, a non compos. A deaf and dumb person may be a witness-may obtain possession of real estate—may be tried for crimes. Cases of each Page 226

#### CHAPTER XIII.

#### PERSONS FOUND DEAD.

Duties of the office of coroner. Sketch of the causes which may produce sudden death, independent of murder. (a) Internal disease. (b) An external, accidental cause—noxious gases—cold and hunger—light-ning. (e) Suicide. Importance of dissection in all suspected cases. 1. Directions for performing medico-legal dissection—examination of the head, spine, thorax, and abdomen. Distinction between natural appearances and the effects of violence—hæmorrhage—ecclymosis— The degree of putrefaction congestions of blood—inflammation. compatible with dissection. 2. Of PERSONS FOUND DEAD FROM NOXIOUS INHALATIONS.—(a) Carbonic acid gas—modes in which it may be generated—symptoms—appearances on dissection. (b) Sulphuretted hydrogen gas-symptoms-appearances on dissection. 3. Of PERSONS FOUND HUNG. Modes in which death occurs from hanging-appearances on dissection-whether the person found hung, has been suspended before or after death—whether the hanging is the result of suicide or homicide. Cases. 4. Of PERSONS FOUND STRANGLED. Whether this has been actually the cause of death. Cases. Appearances on dissection. Whether strangulation is possible as an act of suicide. 5. Of Persons found Drowned. Examination of the signs which distinguish death by submersion, from death previous to submersion-estimate of the value of cach. Cases. Whether the drowning was the effect of accident, suicide, or homicide. 6. Of PERSONS FOUND SMOTHERED. 7. Of PERSONS FOUND DEAD FROM wounds. Whether the wounds are the result of accident, suicide, or

homicide. Cases. 8. Of persons found burnt to death. Spontaneous combustion—cases of this. 9. Of persons found dead from hunger. Appearances on dissection - - Page 263

#### CHAPTER XIV.

#### WOUNDS ON THE LIVING BODY.

1. Of wounds in general—division of them—slight, dangerous, and mortal—notice of each. Circumstances which may aggravate the danger of wounds—the age and constitution of the patient, and his maladies—his passions—negligence or delay—insalubrity of the atmosphere—ignorance or unskilfulness of the surgeon. 2. Nature and prognostics of wounds of particular parts. Wounds of the head—of the face—of the neck—of the thorax—of the abdomen—of the extremities. Laws as to the time within which death from wounds is deemed murder. 3. Of mutilation—French laws against it—English—American—English Coventry act—cases under it—319

#### CHAPTER XV.

#### POISONS.

Definition of a poison. Remarkable resistance sometimes observed to the action of poisons—in individuals—in animals. Modes in which poisons may be introduced into the system. Division of poisons division proposed by Fodere, and adopted with modifications by Orfila. 1. SIGNS OF POISON ON THE LIVING BODY. Symptoms of the corrosive or acrid poisons—the narcotic—narcotico-acrid—astringent. Causes that may modify or vary the progress of symptoms. Preliminary directions for the analysis of suspected substances—Insufficiency of chemical analysis in poisoning by vegetable substances-Exhibition of the suspected substance to animals—directions of Orfila on this point. Of poisoning during illness. Of slow poisons. Of poisons administered to several persons at the same time-variety in their effects. Of poisoning as the result of suicide or homicide. Diseases and symptoms that may be mistaken for the effects of poison-idiosyncracy—indigestion—sudden illness. 2. Signs of Poison on the DEAD BODY. Rules for dissection. Appearances on dissection from the corrosive poisons—the narcotic—the narcotico-acrid, and the astringent—variety in these. How far the presence of putrefaction affects the value of dissections. Of the introduction of poisons into the body after death-appearances indicative of this. Slow poisons. Appearances observed on dissection in certain diseases which may be mistaken for poison—in cholera morbus—repelled cruptions. nomena that may be mistaken—the vascularity of the stomach—digestion and perforation of the stomach—rupture of the stomach 347

#### CHAPTER XVI.

#### MINERAL POISONS.

ARSENIC. White oxide of arsenic. Modes in which it may prove poisonous. Internally. (a) Its exhibition by the mouth. Symptoms.

Classification of these-when the patient survives the effects-when he hives beyond a day or two—when he dies within a few hours. (b) By injection into the rectam or vagina. Externally. (a) Applied to a wound or ulcer, or even to the skin-effects of this. Cancer plasters. (b) By enhaling its vapours. Appearances on dissection, in those who survive several days—in those who die in a few hours. Whether putrefaction follows rapidly after death in these cases. Effects of arsenic on animals. Jaeger's experiments-Brodie's experiments. Chemical proofs. 1. Tests or re-agents. (a) Lime-water. (b) Ammoniaret of copper. (c) Sulphate of copper. (d) Sulpharetted hydrogen. (e) Nitrate of silver. (f) Iodine. (g) Nitrate of potash. (A) Chromate of potash. 2. Reduction of the metal. (a) Its reduction with the black flax. (b) The garlie smell. (c) The tombac affoy. (d) Its reduction by the galvanic pile. Table of chemical tests of amenic with animal and vegetable substances. Mr. Thomson's tests of arsenic-water saturated with sulphuretted hydrogen gas-hydrosulphuret of potash—solution of sulphate of copper with ammonia— nitrate of silver. Difficulties that may occur when the poison is mixed with animal or vegetable substances. Modes of removing these. Effect of tests on various mixtures of arsenic with aliments and drinks. Inquiry into the degree of proof necessary to determine that arsenic has been administered—whether its reduction to the metallic state should be deemed indispensable—objections to this. Medico-legal cases-Miss Blandy-Nairn and Ogilvic-Miss Burns-Kesler. Antidotes. Propriety of laws prohibiting the wasestricted sale of arsenic. Arsenites. Arsenic acid. Sulphurets of arsenic. Black oxide of arsenic. Arsenical hydrogen. Metallic arsenic. MERGURY. Corrosive sublimate. Modes of exhibition. Internally. (a) Its exhibition by the mouth. Symptoms. (b) By injection. Case of Sir Thomas Overbury. Externally. Applied to a wound or ulcer, or to the skin. Appearances on dissection. Effects on animals. Chemical preofs. Operation of various animal and vegetable substances on corrosive sublimate—effect of tests on these mixtures. Antidotes. Red precipitate and red oxide. Other mercurial preparations. Mercurial supours, and mercury in a state of extreme division. Injurious effects of these Page 381

#### CHAPTER XVII.

#### MINERAL POISONS (CONTINUED.)

Antimony. Tartar emetic. Symptoms—appearances on dissection—effect on animals—chemical proofs—antidotes. Oxide and glass of antimony. Muriate and sub-muriate, Antimonial wine. Antimonial vapours. Copper. Metallic copper—its ready oxidation. Oxide and curbonate. Verdigris. Symptoms—appearances on dissection—effect on animals—chemical proofs—antidotes. Zinc. Sulphate. Symptoms—chemical proofs Whether metallic zinc is a safe substance for domestic utensils. Tin. Muriats—effects—tests—antidotes. Silver. Nitrate—effects—tests—antidotes. Fulminating silver. Gold. Nitro-muriate—tests. Fulminating gold. Platina. Nitro-muriate. Bismuth. Nitrate—tests—antidotes. Iron. Sulphate. Lead. Accetate. Symptoms—effects on animals. Cerusse. Water impregnated with lead. Litharge. Articles of food or drink contaminated with lead—earthen vessels glazed with lead—Action of vinegar, apples, milk, on them. Adultora-

tion of wines—cider—rum. Saturnine emanations. Symptoms—chemical proofs—wine test—antidotes. PhosPhorus. Effects. Iodine. Effects. The concentrated acids. Sulphuric. Symptoms—appearances on dissection—chemical proofs—treatment. Nitric. Arrangement by Tartra, of poisoning by it, into four classes. Symptoms—appearances on dissection—chemical proofs—treatment. Caustic and carbonated alkalies. Potash. Sub-carbonate of potash. Symptoms—appearances on dissection. Soda. Ammonia. Barytes and its salts. Effects on animals—symptoms—chemical proofs—antidotes. Quicklime. Liver of Sulphur. Effects—appearances on dissection—treatment. Nitre. Symptoms—appearances on dissections—treatment. Sal ammoniac. Gases. Chlorine, gaseous and fluid. Nitrous acid gas. Sulphurous acid gas. Nitrogen Carbonic axids. Glass and enamel. Remarkable medico-legal case. General directions for ascertaining the nature of a suspected mineral substance by chemical tests—soluble substances—insoluble substances. Laws on poisoning, when death does not immediately follow Page 453

#### CHAPTER XVIII.

#### VEGETABLE POISONS.

1. IRRITATIVE OR ACRID POISONS—Veratrum album — viride. Helleborus niger-fœtidus. Bryonia dioica. Elaterium. Colocynth. Gamboge. Daphne gnidium—mezereum—laureola. Ricinus communis. Euphorbia officinarum, and other species. Savine. Rhus radicans — toxicodendron — vernix. Anemone pulsatilla, and other species. Aconitum napellus, and other species. CEnanthe crocata — fistulosa. Ranunculus acris, and other species. Colchicum autumnale. Chelidonium majus-glaucium. Delphinium staphysagria. Narcissus pseudo-narcissus. Gratiola officinalis. Ja-tropha curcas—manihot. Scilla maritima. Sedum acre. Rhododondron chrysanthum—ferrugineum. Fritillaria imperialis. Pedicularis palustris. Cyclamen europœum. Plumbago europœa. Scammony. Cerbera. Cynanchum. Lobelia syphilitica—longiflora—inflata. Apocynum. Asclepias. Hydrocotile vulgaris. Clematis vitalba, and other species. Pastinaca, Sælanthus. Calla palustris. Phytolacca decandra. Croton tiglium. Various species of Arum. Equisetum hyemale. Oil of tansy. Symplocarpus foetida. Treatment of persons who have taken these poisons. OXALIC ACID. Symptoms appearances on dissection-effect on animals-tests-antidotes. Tartaric and citric acids. 2. NARCOTIC POISONS. Opium—its compound nature-symptoms-effects, even in small doses, on children-appearances on dissection-effects on animals-treatment. Hyoscyamus niger-albus, and other species. PRUSSIC ACID. Symptomscffects on animals—tests—treatment. Plants which contain prussic acid—laurel water—case of Sir Theodosius Boughton—bitter almonds -kernels of the peach. Lactuca. Solanum. Taxus baccata. Actaea spicata. Physalis somnifera. Azalea pontica. Peganum harmela. Ervum ervilia. Lathyrus cicera. Paris quadrifolia. Gelseminum nitidum. Treatment. 3. Narcotico-acrid poisons. Atropa belladonna. Datura stramonium, and other species. Nicotiana tabacum. Digitalis purpurea. Conium maculatum. Cicuta virosa—maculata. Brucea antidysenterica. Laurus camphora. Cocculus indicus. Poisonous mushrooms—their characters—symptoms—appearances on dissection. Alcohol. Sulphuric ether. Ergot. Lolium temulentum. Diseased wheat. Anagallis arvensis. Aristolochia clematitis. Æthusa cynapium. Ruta graveolens. Nerium oleander. Mercurialis perennis Chaerophyllum sylvestre. Sium latifolium. Coriaria myrtifolia. Upas Tieute—Upas antiar. Strychnos nux vomica. Strychnos ignatia. Tieunas. Woorara. Hippomane mancinella. Curare. Calidium seguinum. Ava. Spigelia marilandica. Kalmia latifolia. Sanguinaria canadensis. Treatment—Fontanelle's tables of physical, chemical, medicinal, and deleterious properties of vegetables Page 512

#### CHAPTER XIX.

#### ANIMAL POISONS.

Cantharides—symptoms—effects on animals—appearances on dissection—treatment. Lytta vittata. Poisonous serpents—the viper—rattle-snake—variety in the effects of its bite—mockasin snake—antidotes against the bite of serpents—treatment of persons bitten. Scorpion.

Tarantula. Bec—humble bec—wasp—hornet. Poisonous fishes—catalogue of these—cause of fish poison—treatment. Muscles—cysters—crab—lobster—mackerel—dangerous effects of these at certain seasons of the year. Ornithorynchus paradoxus. Toad. American pheasant or partridge—its poisonous nature at some seasons—cause. Poisonous honey—cause—effects—treatment. Dangers of dissection—consequences occasionally produced by slight injuries during dissection—treatment.

## APPENDIX.

MENSTRUAL blood. Hydatids and dropsy of the uterus.—Dr. Clarko doubts the existence of such a disease as dropsy of the uterus. Consciousness of delivery, by the rupture of the umbilical cord. Membrana pupillaris—obervations on the disappearance of. Putrefactive odour-chloruret of lime recommended to remove the odour of the putrefactive process. Sulphuretted hydrogen. Signs of death from suspension—diagnostic marks laid down by authors to distinguish suspension before and after death, not to be depended on-further observations on, from appearances before and on dissection. Death from external injury-interesting cases. Arsenic-singular cases of poisoning by, related. Tartar emetic—symptoms from taking, as described by Dr. Duffin. Oil of Tansy—case of poisoning by. Tartaric and citric acid. Poisoning by acetate of morphine-Dr. Castaing's interesting case; subsequent experiments. FEIGNED DISORDERS - Ulcers-Fever-Contraction of the hands, elbows, knees, &c.-Ophthalmia-Incontinence of urine-Strictures-Hernia-Infanticide-examination of objections-Dr. Smith's questions on-1. still-born-2. viviborn-trial for infanticide. Case of Captain Donellan-Dr. Male's remarks on.—Dr. Smith's criticism